# IRT IR DRYERS
## BY HEDSON

**IRT 1 & 2 PrepCure**
Dryers suitable for minor paint and panel work, as well as for applying and removing stickers. The dryers can either be used as hand-held dryer or be mounted on stand. Can cure all base and paint material and the on/off button is integrated in the handle and manual timer on the stand



### REACH DIFFICULT AREAS

The stand has a timer that can be set to a maximum of 120 minutes. A holder on the stand allows for both vertical and horizontal drying making it easier and more ergonomically friendly

### VERSITILE

These dryers are suitable for minor paint and panel work and difficult to reach areas, as well as for applying and removing stickers. Both dryers can either be used as hand-held dryers or be mounted on stands

### INCREASE QUALITY

The gold-coated reflectors provide a more even heat distribution and a larger curing area than conventional reflectors, while they feature reduced power consumption. In turn, this increases productivity and raises the quality of the result of drying

## IRT 1 PREPCURE

| | |
|---|---|
| IRT 1 PrepCure - version 1 | Part.no. 800429 |
| IRT 1 PrepCure - version 2 | Part.no. 800624 |
| IRT 1 PrepCure - version 3 | Part.no. 800431 |
| IRT 1 PrepCure - version 4 | Part.no. 800432 |
| IRT 1 PrepCure - version 5 | Part.no. 800428 |
| IRT 1 PrepCure - version 6 | Part.no. 800524 |
| Shipping dimensions (handheld dryer, stand not included) | 1 pcs cardboard box - 490*240*100, 2,5 kg |
| Frequency | 50-60 Hz |
| Current | 4 A |
| Output power | 1 kW (one lamp) |
| Fuse | 10 A |
| Stand height | 1450 mm |
| Weight (handheld dryer, stand not included) | 1,6 kg |
| Voltage - version 1 | 230V, 1PH, EU |
| Voltage - version 2 | 230V, 1PH, UK (UK plug) |
| Voltage - version 3 | 230V, 1PH, AUS & ARG type I |
| Voltage - version 4 | 100V, 1PH, JP |
| Voltage - version 5 | 110V, 1PH, NA (not ETL) |
| Voltage - version 6 | 110V, 1PH, NA ETL (fixed on stand - no timer) |

## IRT 2 PREPCURE

| | |
|---|---|
| IRT 2 PrepCure - version 1 | Part.no. 800433 |
| IRT 2 PrepCure - version 2 | Part.no. 800625 |
| IRT 2 PrepCure - version 3 | Part.no. 800472 |
| IRT 2 PrepCure - version 4 | Part.no. 800434 |
| Shipping dimensions (handheld dryer, stand not included) | 1 pcs cardboard box - 470*240*180, 3,8 kg |
| Frequency | 50-60 Hz |
| Current | 8A |
| Output power | 2 kW (two lamps) |
| Fuse | 10 A |
| Stand height | 1450 mm |
| Voltage - version 1 | 230V, 1PH, EU |
| Voltage - version 2 | 230V, 1PH, UK (UK plug) |
| Voltage - version 3 | 230V, 1PH, AUS & ARG type I |
| Voltage - version 4 | 230V, 1PH, NA ETL (fixed on stand - no timer) |
| Weight (handheld dryer, stand not included) | 3 kg |

**LAMP-IR 1KW**
Lamp-IR 1kW 235V 360 U CPL
Part.no. 102700