




NOT: DURUŞ ŞEKİLLERİ EMİŞ TARAFINDAN BAKIŞA GÖREDİR

FRK

GERİYE EĞİK ORTA BASINÇLI KONİKLİ SALLYANGOZ FANLAR


MODEL	GERİLİM (VOLT/Hz)	MOTOR GÜCÜ		AKIM (A)	DEVİR (d/d)	DEBİ (m ³ /h)	BASINÇ (Pa)
		HP	KW				
FRK-0,5	230/380/50	1/2	0,37	1,05	2800	2000	300
FRK-1	230/380/50	1	0,75	1,70	2800	3000	500
FRK-1,5	230/380/50	1,5	1,1	2,30	2800	3500	600
FRK-2	230/380/50	2	1,5	3,30	2800	4500	700
FRK-3	230/380/50	3	2,2	4,48	2800	5500	900
FRK-4	230/380/50	4	3	5,80	2800	6300	1000
FRK-5,5	380/50	5,5	4	7,40	2800	7500	1150
FRK-7,5	380/50	7,5	5,5	10,30	2800	8500	1300
FRK-10	380/50	10	7,5	13,60	2800	10500	1500
FRK-15	380/50	15	11	19,50	2800	12500	1800
FRK-20	380/50	20	15	28,30	2800	15000	2100
FRK-25	380/50	25	18,5	32,30	2800	16500	2300
FRK-30	380/50	30	22	38,30	2800	18000	2500
FRK-40	380/50	40	30	52,00	2800	21000	2800
FRK-50	380/50	50	37	65,00	2800	23500	3100

⚠ Ex-Proof motorlu veya paslanmaz modellerimiz için firmamız ile iletişime geçiniz.

🔥 F300 °C/2h ISIYA DAYANIKLI MOTOR SEÇENEKLERİ İÇİN FİRMAMIZ İLE İLETİŞİME GEÇİNİZ.


🔥 F400 °C/2h ISIYA DAYANIKLI MOTOR SEÇENEKLERİ İÇİN FİRMAMIZ İLE İLETİŞİME GEÇİNİZ.

Not:Daha yüksek kapasiteler için firmamız ile iletişime geçiniz.




MODEL	A	B	C	EMİŞ ØE	ATIŞ	
					D1	D2
FRK-0,5	465	490	345	150	120	120
FRK-1	525	600	365	150	120	120
FRK-1,5	545	605	375	150	120	120
FRK-2	580	635	425	180	150	150
FRK-3	605	660	460	200	160	180
FRK-4	650	675	510	220	180	200
FRK-5,5	710	765	530	250	200	200
FRK-7,5	750	820	610	300	250	250
FRK-10	800	890	610	300	250	250
FRK-15	880	1020	710	350	270	250
FRK-20	960	1090	710	400	320	250
FRK-25	1015	1120	710	400	370	250
FRK-30	1100	1150	820	500	400	300
FRK-40	1150	1250	910	550	400	300
FRK-50	1250	1340	910	550	450	350


FRK-0,5




FRK-1




FRK-1,5



FRK-2



FRK-3



FRK-4

