


< Go back



Touchless Sensor

Item Number: 2390020100

[View DataSheet](#)

- ✓ Touchless sensor for Turbine Compact stations



Turbine



IP66

Description	Specifications	Dimensions	Used With	Documents
Dimensions (WxHxD)	80 x 80 x 28 mm			
Weight	0.202 kg			
Power	The sensor is powered by 5 volts. Most Zenitel IP stations has a built-in 5V output which can be used			
Outputs	N.O, N.C, COM			
Ingress Protection Rating	IP66			
Sensor distance	150 mm			
Sensor active time	0,5 secs			
Lifetime	Infrared sensor:100 000 hours / Relay mechanical lifespan:100 000 times			
Indicators	Standby RED ; Proximity GREEN			

Backbox material	Stainless Steel / PC / Aluminum Alloy
------------------	--

Operating temperature	-10° C to +70° C
-----------------------	------------------

Country of manufacture	Norway
------------------------	--------



Phone +47 40 00 25 00

OUR COMPANY

[Safety & Security](#)

[Maritime & Energy Solutions](#)

[Transportation Solutions](#)

[Sustainability](#)

[Careers](#)

MY ZENITEL

[Login](#)

[Create Account](#)

[Zenitel Academy](#)

[WIKI](#)

[Library](#)

GET IN TOUCH

[Customer Service](#)

[Where to buy](#)

[Zenitel Offices](#)

[Claims & Returns](#)

[Media Contact](#)

LINKS

[Privacy Statements](#)

[Cookie information](#)

[NDAA Compliance](#)

[End-user license agreement](#)

[Terms & Conditions of Sale](#)

[Terms & Conditions of Purchase](#)