



Type EEC 3 Pole

Contactors



Part #	EEC 12-*	EEC18- *	EEC25- *	EEC32- *	EEC40-*	EEC50-*
List Price	\$ 38.00	\$ 50.00	\$ 62.00	\$ 84.00	\$ 105.00	\$ 150.00
Built in Auxiliaries	1N.O.	1N.O.	1N.O.	1N.O.	1NO+1 NC	1NO+1 NC
AC-1 Resistive Amps	25A	32A	40A	50A	60A	80A
AC-3 Inductive Amps	12A	18A	25A	32A	40A	50A
Horse Power (HP):						
Single Phase 115V	1	1	2	2	3	3
230V	2	3	3	5	5	7 1/2
Three Phase 200V	3	5	5	10	10	15
240V	3	5	7 1/2	10	10	15
460V	7 1/2	10	15	20	30	40
600V	10	15	20	25	30	40
Dimensions mm (in.)						
Height	74 (2.91")	74 (2.91")	84 (3.30")	84 (3.30")	127 (5.00")	127 (5.00")
Width	45 (1.77")	46 (1.81")	56 (2.20")	56 (2.20")	75 (2.95")	75 (2.95")
Depth AC coil	80 (3.15")	85 (3.35")	93 (3.66")	98 (3.86")	114 (4.49")	114 (4.49")
Depth DC coil	115 (4.53")	120 (4.72")	130 (5.12")	135 (5.31")	171 (6.73")	171 (6.73")

Part #	EEC 65-*	EEC80- *	EEC95- *	EEC115- *	EEC150- *	EEC185- *
List Price	\$ 197.00	\$ 242.00	\$ 272.00	\$ 375.00	\$ 395.00	\$ 565.00
Built in Auxiliaries	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC
AC-1 Resistive Amps	80A	125A	125A	200A	250A	275A
AC-3 Inductive Amps	65A	80A	95A	115A	150A	185A
Horse Power (HP):						
Single Phase 115V	5	7 1/2	—	—	—	—
230V	10	15	—	—	—	—
Three Phase 200V	20	25	25	30	40	50
240V	20	25	25	40	50	60
460V	50	60	60	75	100	125
600V	50	60	60	100	125	150
Dimensions mm (in.)						
Height	127 (5.00")	127 (5.00")	127 (5.00")	162 (6.38")	170 (6.69")	174 (6.85")
Width	75 (2.95")	85 (3.35")	84 (3.35")	164 (6.46")	164 (6.46")	169 (6.65")
Depth AC coil	114 (4.49")	125 (4.92")	125 (4.92")	170 (6.69")	170 (6.69")	180 (7.09")
Depth DC coil	171 (6.73")	181 (7.13")	—	170 (6.69")	170 (6.69")	180 (7.09")



Type EEC 3 Pole

Contactors



Part #	EEC 225- *	EEC265- *	EEC330- *	EEC400- *	EEC500- *	EEC630- *
List Price	\$ 720.00	\$ 895.00	\$ 1,110.00	\$ 1,300.00	\$ 1,984.00	\$ 2,700.00
Built in Auxiliaries	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC	1NO+1 NC
AC-1 Resistive Amps	315A	350A	400A	500A	700A	1000A
AC-3 Inductive Amps	225A	265A	330A	400A	500A	630A
Horse Power (HP):						
Three Phase 200V	55	60	75	100	150	250
240V	65	75	100	125	200	300
460V	135	150	200	250	400	600
600V	175	200	250	300	500	800
Dimensions mm (in.)						
Height	197 (7.76")	203 (7.99")	206 (8.11")	206 (8.11")	238 (9.37")	304 (11.97")
Width	169 (6.65")	207 (8.15")	213 (8.39")	213 (8.39")	233 (9.17")	309 (12.17")
Depth AC/DC coil	180 (7.09")	212 (8.35")	223 (8.78")	226 (8.90")	234 (9.21")	256 (10.08")

* Coil Voltage Suffix

-* AC Voltages (All)	
-A = 120V (50/60Hz)	
-C = 208V/230V (60Hz)	
-E = 480V (60Hz)	EEC330 Max
-F = 600V (60Hz)	EEC225 Max
-D = 380V (50Hz)	
-G = 24V (50/60Hz)	EEC330 Max
-H = 277V (60Hz)	
-B = 220V (50/60Hz)	

208V "C" Coil -5% Voltage Tolerance.

Contact Factory for additional coil voltages not listed.

DC Coil Price Adder Size + List Price	
TEC 12-32	\$38
TEC 40-80	\$85
TEC 115 +	No Adder

-* DC Voltages	
TEC12-TEC80	TEC115-TEC400
- DCM = 12VDC	
- DCN = 24VDC	- N = 24VDC
- DCO = 48VDC	- O = 48VDC
- DCP = 125VDC	- P = 125VDC
- DCR = 220VDC	- R = 220VDC
See DC Price Adder	



Type EEC 4 Pole Contactors



Part #	EEC12-4P- *	EEC25-4P- *	EEC40-4P-*	EEC 65-4P- *	EEC80-4P- *
List Price	\$ 54.00	\$ 92.00	\$ 210.00	\$ 323.00	\$ 484.00
AC-1 Resistive Amps	25A	40A	60A	80A	125A
AC-3 Inductive Amps	12A	25A	40A	65A	80A
Horse Power (HP):					
Single Phase 115V	1	2	3	5	7 1/2
230V	2	3	5	10	15
Three Phase 200V	3	5	10	20	25
240V	3	7 1/2	10	20	25
460V	7 1/2	15	30	50	60
600V	10	20	30	50	60
Dimensions mm (in.)					
Height	74 (2.91")	84 (3.30")	127 (5.00")	127 (5.00")	127 (5.00")
Width	45 (1.77")	56 (2.20")	85 (3.35")	85 (3.35")	96 (3.78")
Depth AC coil	80 (3.15")	93 (3.66")	114 (4.49")	114 (4.49")	125 (4.92")
Depth DC coil	115 (4.53")	130 (5.12")	171 (6.73")	171 (6.73")	181 (7.13")

Part #	EEC115-4P- *	EEC150-4P- *	EEC185-4P-*	EEC500-4P- *	EEC630-4P- *
List Price	\$ 570.00	\$ 608.00	\$ 780.00	\$ 2,200.00	\$ 2,400.00
AC-1 Resistive Amps	200A	250A	275A	700A	1000A
AC-3 Inductive Amps	115A	150A	185A	500A	630A
Horse Power (HP):					
Three Phase 200V	30	40	50	150	250
240V	40	50	60	200	300
460V	75	100	125	400	600
600V	100	125	150	500	800
Dimensions mm (in.)					
Height	162 (6.38")	170 (6.69")	174 (6.85")	238 (9.37")	304 (11.97")
Width	200 (7.87")	200 (7.87")	209 (8.23")	389 (15.3")	389 (15.30")
Depth AC/DC coil	170 (6.69")	170 (6.69")	180 (7.09")	234 (9.21")	256 (10.08")

* Coil Voltage Suffix

-* AC Voltages (All)	
-A = 120V (50/60Hz)	
-C = 208V/230V (60Hz)	
-E = 480V (60Hz)	EEC330 Max
-F = 600V (60Hz)	EEC225 Max
-D = 380V (50Hz)	
-G = 24V (50/60Hz)	EEC330 Max
-H = 277V (60Hz)	
-B = 220V (50/60Hz)	

DC Coil Price Adder Size + List Price	
TEC 12-32	\$38
TEC 40-80	\$85
TEC 115 + No Adder	

-* DC Voltages	
TEC12-TEC80	TEC115-TEC400
- DCM = 12VDC	
- DCN = 24VDC	- N = 24VDC
- DCO = 48VDC	- O = 48VDC
- DCP = 125VDC	- P = 125VDC
- DCR = 220VDC	- R = 220VDC
See DC Price Adder	

208V "C" Coil -5% Voltage Tolerance.

Contact Factory for additional coil voltages not listed.



Type EEC

3 Phase Open/Enclosed Contactors

Resistive AC-1	Inductive AC-3	Horse Power Ratings UL 3 Phase Motor		OPEN	NEMA 1 General Purpose (metal)	NEMA4X Hose Dust Tight (non metal)	NEMA 4/12 (metal)	NEMA 3R Hose + Dust Tight Outdoor (metal)	Comparable NEMA HP	
		Volts	HP							
25A	12A	200V	3	EEC 12 - * 0 \$38.00	EEC 12 - * 1 \$140.00	EEC 12 - * 4X \$202.00	EEC 12 - * 4 \$220.00	EEC 12 - * 3R \$210.00	200V	1.5 HP
		230V	3						230V	1.5 HP
		480V	7 1/2						480V	2 HP
		600V	10 HP						600V	2 HP
									NEMA	00
32A	18A	200V	5	EEC 18 - * 0 \$50.00	EEC 18 - * 1 \$174.00	EEC 18 - * 4X \$212.00	EEC 18 - * 4 \$238.00	EEC 18 - * 3R \$232.00	200V	3 HP
		230V	5						230V	3 HP
		480V	10						480V	5 HP
		600V	15 HP						600V	5 HP
									NEMA	0
40A	25A	200V	5	EEC 25 - * 0 \$62.00	EEC 25 - * 1 \$192.00	EEC 25 - * 4X \$240.00	EEC 25 - * 4 \$250.00	EEC 25 - * 3R \$245.00	NEMA 0+	
		230V	7 1/2							
		480V	15							
		600V	20 HP							
50A	32A	200V	10	EEC 32 - * 0 \$84.00	EEC 32 - * 1 \$211.00	EEC 32 - * 4X \$274.00	EEC 32 - * 4 \$274.00	EEC 32 - * 3R \$267.00	200V	7.5HP
		230V	10						230V	7.5HP
		480V	20						480V	10 HP
		600V	25 HP						600V	10 HP
									NEMA	1
60A	40A	200V	10	EEC 40 - * 0 \$105.00	EEC 40 - * 1 \$279.00	EEC 40 - * 4X \$342.00	EEC 40 - * 4 \$323.00	EEC 40 - * 3R \$303.00	NEMA 1+	
		230V	10							
		480V	30							
		600V	30 HP							

* Coil Voltage Suffix

-* AC Voltages (All)	
-A = 120V (50/60Hz)	
-C = 208V/230V (60Hz)	
-E = 480V (60Hz)	EEC330 Max
-F = 600V (60Hz)	EEC225 Max
-D = 380V (50Hz)	
-G = 24V (50/60Hz)	EEC330 Max
-H = 277V (60Hz)	
-B = 220V (50/60Hz)	

208V "C" Coil -5% Voltage Tolerance.

Contact Factory for additional coil voltages not listed.

DC Coil Price Adder Size + List Price

TEC 12-32	\$38
TEC 40-80	\$85
TEC 115 + No Adder	

Part # Example:

EEC 12 - A1
EEC12 Contactor
A=120VAC Coil
1=NEMA 1 Enclosure

-* DC Voltages	
TEC12-TEC80	TEC115-TEC400
- DCM = 12VDC	
- DCN = 24VDC	- N = 24VDC
- DCO = 48VDC	- O = 48VDC
- DCP = 125VDC	- P = 125VDC
- DCR = 220VDC	- R = 220VDC
See DC Price Adder	

Auxiliaries

.22T after contactor part # adds 2N.O/2N.C.
Aux's to contactor **Add \$21.00 list.**

Example Part # EEC12.22T-AO List \$59.00



Type EEC

3 Phase Open/Enclosed Contactors

 Resistive AC-1	Inductive AC-3	Horse Power Ratings UL 3 Phase Motor		OPEN	NEMA 1 General Purpose (metal)	NEMA4X Hose Dust Tight (non metal)	NEMA 4/12 (metal)	NEMA 3R Hose + Dust Tight Outdoor (metal)	NEMA HP
		Volts	HP						
80A	50A	200V 230V 480V 600V	15 15 40 40 HP	EEC 50 - * 0 \$150.00	EEC 50 - * 1 \$382.00	EEC 50 - * 4X \$388.00	EEC 50 - * 4 \$408.00	EEC 50 - * 3R \$398.00	200V 10 HP 230V 15 HP 480V 25 HP 600V 25 HP NEMA 2
80A	65A	200V 230V 480V 600V	20 20 50 50 HP	EEC 65 - * 0 \$197.00	EEC 65 - * 1 \$394.00	EEC 65 - * 4X \$400.00	EEC 65 - * 4 \$595.00	EEC 65 - * 3R \$516.00	Size 2+
125A	80A	200V 230V 480V 600V	25 25 60 60 HP	EEC 80 - * 0 \$242.00	EEC 80 - * 1 \$427.00	EEC 80 - * 4X \$437.00	EEC 80 - * 4 \$635.00	EEC 80 - * 3R \$575.00	Size 2+
125A	95A	200V 230V 480V 600V	25 25 60 60 HP	EEC 95 - * 0 \$272.00	EEC 95 - * 1 \$490.00	EEC 95 - * 4X \$500.00	EEC 95 - * 4 \$707.00	EEC 95 - * 3R \$619.00	Size 2+
200A	115A	200V 230V 480V 600V	30 40 75 100 HP	EEC 115 - * 0 \$375.00	EEC 115 - * 1 \$840.00	EEC 115 - * 4X \$1,125.00	EEC 115 - * 4 \$1,025.00	EEC 115 - * 3R \$900.00	200V 25 HP 230V 30 HP 480V 50 HP 600V 50 HP NEMA 3
250A	150A	200V 230V 480V 600V	40 50 100 125 HP	EEC 150 - * 0 \$395.00	EEC 150 - * 1 \$875.00	EEC 150 - * 4X \$1,150.00	EEC 150 - * 4 \$1,125.00	EEC 150 - * 3R \$935.00	Size 3+
275A	185A	200V 230V 480V 600V	50 60 125 150 HP	EEC 185 - * 0 \$565.00	EEC 185 - * 1 \$1,230.00	EEC 185 - * 4X \$1,900.00	EEC 185 - * 4 \$1,627.00	EEC 185 - * 3R \$1,627.00	200V 40 HP 230V 50 HP 480V 100 HP 600V 100 HP NEMA 4
350A	265A	200V 230V 480V 600V	60 75 150 200 HP	EEC 265 - * 0 \$895.00	EEC 265 - * 1 \$1,700.00	EEC 265 - * 4X \$2,500.00	EEC 265 - * 4 \$2,000.00	EEC 265 - * 3R \$1,800.00	Size 4+
400A	330A	200V 230V 480V 600V	75 100 200 250 HP	EEC 330 - * 0 \$1,100.00	EEC 330 - * 1 \$2,330.00	EEC 330 - * 4X \$4,450.00	EEC 330 - * 4 \$2,475.00	EEC 330 - * 3R \$2,450.00	Size 4+

Larger Sizes Available - Contact Factory

← See Previous Page For Coil Voltage Suffix.



Type REEC 3 Phase Reversing Contactors

Resistive AC-1	Inductive AC-3	Horse Power Ratings UL 3 Phase Motor		OPEN	NEMA 1 General Purpose (metal)	NEMA4X Hose Dust Tight (non metal)	NEMA 4/12 (metal)	NEMA 3R Hose + Dust Tight Outdoor (metal)	Dimensions mm/inches open style	
		Volts	HP							
25A	12A	200V	3	REEC 12 -*0 \$112.00	REEC 12 -*1 \$224.00	REEC 12 -*4X \$272.00	REEC 12 -*4 \$286.00	REEC 12 -*3R \$284.00	H	74/2.91"
		230V	3						W	104/4.09"
		480V	7 1/2						D(AC)	80/3.15"
		600V	10 HP						D(DC)	115/4.53"
32A	18A	200V	5	REEC 18 -*0 \$138.00	REEC 18 -*1 \$262.00	REEC 18 -*4X \$300.00	REEC 18 -*4 \$326.00	REEC 18 -*3R \$320.00	H	74/2.91"
		230V	5						W	106/4.17"
		480V	10						D(AC)	85/3.35"
		600V	15 HP						D(DC)	120/4.72"
40A	25A	200V	5	REEC 25 -*0 \$164.00	REEC 25 -*1 \$294.00	REEC 25 -*4X \$342.00	REEC 25 -*4 \$352.00	REEC 25 -*3R \$346.00	H	84/3.30"
		230V	7 1/2						W	126/4.96"
		480V	15						D(AC)	93/3.66"
		600V	20 HP						D(DC)	130/5.12"
50A	32A	200V	10	REEC 32 -*0 \$194.00	REEC 32 -*1 \$330.00	REEC 32 -*4X \$394.00	REEC 32 -*4 \$394.00	REEC 32 -*3R \$386.00	H	84/3.30"
		230V	10						W	126/4.96"
		480V	20						D(AC)	98/3.86"
		600V	25 HP						D(DC)	135/5.31"
60A	40A	200V	10	REEC 40 -*0 \$282.00	REEC 40 -*1 \$464.00	REEC 40 -*4X \$524.00	REEC 40 -*4 \$504.00	REEC 40 -*3R \$486.00	H	127/5.00"
		230V	10						W	165/6.50"
		480V	30						D(AC)	114/4.49"
		600V	30 HP						D(DC)	171/6.73"

* Coil Voltage Suffix

-* AC Voltages (All)	
-A = 120V (50/60Hz)	
-C = 208V/230V (60Hz)	
-E = 480V (60Hz)	EEC330 Max
-F = 600V (60Hz)	EEC225 Max
-D = 380V (50Hz)	
-G = 24V (50/60Hz)	EEC330 Max
-H = 277V (60Hz)	
-B = 220V (50/60Hz)	

208V "C" Coil -5% Voltage Tolerance.
Contact Factory for additional
coil voltages not listed.

DC Coil Price Adder Size + List Price	
TEC 12-32	\$76
TEC 40-80	\$170
TEC 115 + No Adder	

-* DC Voltages	
TEC12-TEC80	TEC115-TEC400
- DCM = 12VDC	
- DCN = 24VDC	- N = 24VDC
- DCO = 48VDC	- O = 48VDC
- DCP = 125VDC	- P = 125VDC
- DCR = 220VDC	- R = 220VDC
See DC Price Adder	

REEC18





Type REEC 3 Phase Reversing Contactors

 Resistive AC-1	Inductive AC-3	Horse Power Ratings UL 3 Phase Motor		OPEN	NEMA 1 General Purpose (metal)	NEMA4X Hose Dust Tight (non metal)	NEMA 4/12 (metal)	NEMA 3R Hose + Dust Tight Outdoor (metal)	Dimensions mm/inches Open Style	
		Volts	HP						mm/inches	
80A	50A	200V	15	REEC 50 - * 0 \$342.00	REEC 50 - * 1 \$584.00	REEC 50 - * 4X \$590.00	REEC 50 - * 4 \$610.00	REEC 50 - * 3R \$600.00	H	127/5.00"
		230V	15						W	165/6.50"
		480V	40						D(AC)	114/4.49"
		600V	40 HP						D(DC)	171/6.73"
80A	65A	200V	20	REEC 65 - * 0 \$434.00	REEC 65 - * 1 \$630.00	REEC 65 - * 4X \$660.00	REEC 65 - * 4 \$830.00	REEC 65 - * 3R \$750.00	H	127/5.00"
		230V	20						W	165/6.50"
		480V	50						D(AC)	114/4.49"
		600V	50 HP						D(DC)	171/6.73"
125A	80A	200V	20	REEC 80 - * 0 \$542.00	REEC 80 - * 1 \$770.00	REEC 80 - * 4X \$780.00	REEC 80 - * 4 \$980.00	REEC 80 - * 3R \$920.00	H	127/5.00"
		230V	25						W	181/7.13"
		480V	60						D(AC)	125/4.72"
		600V	60 HP						D(DC)	181/7.13"
125A	95A	200V	20	REEC 95 - * 0 \$630.00	REEC 95 - * 1 \$880.00	REEC 95 - * 4X \$890.00	REEC 95 - * 4 \$1,100.00	REEC 95 - * 3R \$1,010.00	H	127/5.00"
		230V	25						W	181/7.13"
		480V	60						D(AC)	125/4.92"
		600V	60 HP						D(DC)	125/4.92"
200A	115A	200V	30	REEC 115 - * 0 \$830.00	REEC 115 - * 1 \$1,280.00	REEC 115 - * 4X \$1,550.00	REEC 115 - * 4 \$1,490.00	REEC 115 - * 3R \$1,350.00	H	162/6.38"
		230V	40						W	342/13.46"
		480V	75						D(AC)	170/6.69"
		600V	100 HP						D(DC)	170/6.69"
250A	150A	200V	40	REEC 150 - * 0 \$886.00	REEC 150 - * 1 \$1,400.00	REEC 150 - * 4X \$1,600.00	REEC 150 - * 4 \$1,650.00	REEC 150 - * 3R \$1,460.00	H	170/6.69"
		230V	50						W	342/13.46"
		480V	100						D(AC)	170/6.69"
		600V	125 HP						D(DC)	170/6.69"
275A	185A	200V	50	REEC 185 - * 0 \$1,270.00	REEC 185 - * 1 \$1,950.00	REEC 185 - * 4X \$2,600.00	REEC 185 - * 4 \$2,350.00	REEC 185 - * 3R \$2,350.00	H	174/6.85"
		230V	60						W	358/14.10"
		480V	125						D(AC)	180/7.09"
		600V	150 HP						D(DC)	180/7.09"
350A	265A	200V	60	REEC 265 - * 0 \$1,920.00	REEC 265 - * 1 \$2,700.00	REEC 265 - * 4X \$3,500.00	REEC 265 - * 4 \$3,000.00	REEC 265 - * 3R \$2,850.00	H	203/7.99"
		230V	75						W	366/14.41"
		480V	150						D(AC)	212/8.35"
		600V	200 HP						D(DC)	212/8.35"
400A	330A	200V	75	REEC 330 - * 0 \$2,330.00	REEC 330 - * 1 \$3,130.00	REEC 330 - * 4X \$4,000.00	REEC 330 - * 4 \$3,450.00	REEC 330 - * 3R \$3,280.00	H	206/8.11"
		230V	100						W	458/18.03"
		480V	200						D(AC)	217/8.54"
		600V	250 HP						D(DC)	217/8.54"

Larger Sizes Available - Contact Factory

← See Previous Page For Coil Voltage Suffix.



ADDITIONS AND SPECIAL FEATURES

MAGNETIC STARTERS AND CONTACTORS

Factory Installed Suffixes Lists

Additions or Special Features	Enclosure Type	Catalog Suffix	EEC 12 -- 32	EEC 40 -- 95	EEC 115 -- 225	EEC 265 -- 630
			TEC 12 -- 32	TEC 40 -- 95	TEC 115 -- 225	TEC 265 -- 630
"Start-Stop" push button.....(Twin Type)..... 1		KSS-2	\$50	\$50	\$50	\$50
"Start-Stop" push button.....(Twin Type)..... 4, 12, 3R, 4X		KSS-3	120	120	120	120
"Hand-Off-Auto" selector switch..... 1		KSL-1	50	50	50	50
"Hand-Off-Auto" selector switch..... 4, 12, 3R, 4X		KSL-3	120	120	120	120
"Start-Stop" push button and "Hand-Off-Auto" selector switch..... Any		SS-HOA	240	240	240	240
Pilot Light..... Any		PL	75	75	75	75
E-Stop..... Any		ESTOP	90	90	90	90
"On-Off" selector switch..... 1		KSN-1	50	50	50	50
"On-Off" selector switch..... 4, 12, 3R, 4X		KSN-3	120	120	120	120
"Forward-Off-Reverse" selector switch..... Any		FOR	120	120	120	120
"High-Off-Low" selector switch..... Any		HOL	120	120	120	120
"Forward-Reverse-Stop" push button..... Any		FRS	200	200	200	200
"Up-Down-Stop" push button..... Any		UDS	200	200	200	200
"Fast-Slow-Stop" push button..... Any		FSS	200	200	200	200
Control circuit transformer: With fused primary and secondary 50/60 Hz..... Any <u>Note:</u> Add Primary Voltage after the "FT".		FT ___ V	\$250	\$350	\$425	\$550

Enclosure Type	Part Numbers	Approximate Overall Dimension H x W x D	List \$
NEMA 1 METAL	M01-070405H	7" x 4" x 5"	\$105
	M01-100806	10" x 8" x 6"	\$110
	M01-121006	12" x 10" x 6"	\$130
	M01-161208	16" x 12" x 8"	\$315
NEMA 3R METAL	M3R-100806	10" x 8" x 6"	\$120
	M3R-121006	12" x 10" x 6"	\$145
	M3R-161208	16" x 12" x 8"	\$325
	M3R-201608	20" x 16" x 8"	\$355
NEMA 4/12 METAL	M4/12-100806	10" x 8" x 6"	\$135
	M4/12-121006	12" x 10" x 6"	\$175
	M4/12-161208	16" x 12" x 8"	\$350
	M4/12-201608	20" x 16" x 8"	\$375
NEMA 4X FIBERGLASS	S4X-AM864	8" x 6" x 6"	\$155
	S4X-AM1008	10" x 8" x 8"	\$185
	S4X-AM1210	12" x 10" x 8"	\$230
	S4X-AM1614	16" x 14" x 10"	\$410
	S4X-AM2016	20" x 16" x 10"	\$525

On or OFF Delay Timers (fits all sizes)

Delay Type	Seconds Time Range	Part #	List Price
ON	0.1 - 30	TIMERON1-30S	\$ 62.00
ON	10 - 180	TIMERON10-180S	\$ 62.00
OFF	0.1 - 30	TIMEROFF1-30S	\$ 62.00
OFF	10 - 180	TIMEROFF10-180S	\$ 62.00

⊕ Timer adds 2.28" in depth to EEC12 - EEC95



TIMERON1-30S

* **On delay** = The timing sequence initiates when the contactors coil is energized.

* **Off delay** = Timing begins when the contactor is turned off (coil is de-energized).

Mechanical Latch (fits EEC12 - EEC32)

Part #	List Price
EECLATCH - *	\$ 60.00



* Coil Voltage Suffix

- 24VDC
- 24VAC
- 120VAC
- 230VAC

Mechanical Interlock Kits

To Interlock Contactors	Part #	List Price
EEC 12, 18, 25, 32	EEC 12-32	\$ 20.00
EEC 40, 50, 65	EEC 40-65	\$ 35.00
EEC 80, EEC 95	EEC 80-95	\$ 40.00
EEC 115, EEC 150	EEC 115-150	\$ 60.00
EEC 185, EEC 225	EEC 185-225	\$ 60.00
EEC 265, 330, 400, 500	EEC265-500	\$ 105.00



EEC12 - 32
Mechanical Interlock

Auxiliary Contacts

Top Mount Auxiliaries

Fits EEC12 - EEC780



AUX 40



AUX 10

Contacts		Part #	List Price
N.O.	N.C.		
1	1	AUX 11	\$ 14.00
2	0	AUX 20	\$ 14.00
0	2	AUX 02	\$ 14.00
4	0	AUX 40	\$ 21.00
0	4	AUX 04	\$ 21.00
2	2	AUX 22	\$ 21.00
3	1	AUX 31	\$ 21.00
1	3	AUX 13	\$ 21.00

Fits EEC40 - EEC95 (Only)

1	0	AUX 10	\$ 12.00
0	1	AUX 01	\$ 12.00

⊕ Each Top Aux adds 1.4" to depth.

Side Mounted Auxiliaries

Fits EEC12 - EEC95



AUXSIDE 11

1	1	AUXSIDE 11	\$ 14.00
2	0	AUXSIDE 20	\$ 14.00

⊕ Each Side Aux adds 1/2" to width.

Max Number of Allowable Aux. Blocks

Contactor Size	Top Mount Multiple Aux. Block	Top Mount Single Aux. Block	Side Mount Aux. Block	Max Aux. Including Built in.
EEC 12-32	1	N.A.	2	9
EEC 40-95	1	2	2	10
EEC 115-780	2	N.A.	N.A.	8

Technical Information

Rated Operating Voltage: 660V

Rated Thermal Current: 10A

Minimum Switching Capacity: 17V 5mA

Mechanical Life: 30 million cycles

Lug Kits

Contactor	Part # (6 Lugs)	Wire Size	List Price
EEC115	EECLK115	14 to 2/0	\$36
EEC150	EECLK150	14 to 2/0	\$47
EEC185	EECLK185	6 to 250 MCM	\$47
EEC225	EECLK225	6 to 350 MCM	\$64
EEC265	EECLK265	6 to 350 MCM	\$64
EEC330	EECLK330	4 to 500 MCM	\$205
EEC400	EECLK400	2 to 500 MCM X 2	\$217

Contactor Kits include 6 lugs with hardware.
Lugs included with assembled starters.

Replacement Contact Kits



Kits Include:
6 Stationary
3 Moveable
Contacts

Contactors	Part #	List Price
EEC115	EEC115CONTACTS	\$ 230.00
EEC 150	EEC150CONTACTS	\$ 242.00
EEC 185	EEC185CONTACTS	\$ 304.00
EEC 225	EEC225CONTACTS	\$ 311.00
EEC 330	EEC330CONTACTS	\$ 670.00
EEC 400	EEC400CONTACTS	\$ 744.00

(Contact Factory for larger sizes)

Replacement Coils

AC Coils

Contactors	Part #	List Price
EEC12 - EEC18	COIL18- *	\$ 24.00
EEC25 - EEC32	COIL32- *	\$ 31.00
EEC40 - EEC65	COIL65- *	\$ 52.00
EEC80 - EEC95	COIL95- *	\$ 55.00
EEC115 - EEC150	COIL150- *	\$ 80.00
EEC185 - EEC225	COIL225- *	\$ 105.00
EEC265 - EEC330	COIL330- *	\$ 116.00
EEC400	COIL400- *	\$ 240.00
EEC500	COIL500- *	\$ 250.00
EEC630	COIL630- *	\$ 270.00

* Coil Voltage Suffix

24V	(EEC330 Max)
120V	
208V-230V	
280V	
380V	
480V	(EEC330 Max)
600V	(EEC 225 Max)

DC Coils

Contactors	Part #	List Price
EEC12 - EEC18	COIL18- * DC	\$ 41.00
EEC25 - EEC32	COIL32- * DC	\$ 49.00
EEC40 - EEC65	COIL65- * DC	\$ 64.00
EEC80	COIL80- * DC	\$ 105.00
EEC115 - EEC150	COIL150- * DC	\$ 148.00
EEC185 - EEC225	COIL225- * DC	\$ 155.00
EEC265 - EEC330	COIL330- * DC	\$ 165.00
EEC400	COIL400- * DC	\$ 240.00
EEC500	COIL500- * DC	\$ 250.00
EEC630	COIL630- * DC	\$ 270.00

* Coil Voltage Suffix

12V	(EEC80 Max)
24V	(EEC500 Max)
48V	
125V	
220V	

