


Ideal cold water cleaning for everyday tasks

Like all Nilfisk high-pressure washers, the MC 2C platform was engineered to provide exemplary pressure-washing results – but there's always room for improvement, so we've increased the machines's cleaning effectiveness and efficiency through the primary point of contact: the pump.

The MC 2C line comprises models designed for routine semi-professional use mainly by tradesmen, on small construction sites, agriculture or small contract cleaners.

The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

- Powerful detergent application with universal foam sprayer – easy to use
- 4-in-1 nozzle ensures easy change between nozzles – always the right nozzle for almost all cleaning tasks and applications
- New hose-reel guide for an easy, one-handed rollup and protected hose storage
- Easier water-flow regulation for a quick adjustment according to the cleaning tasks
- Ergo 2000 spray gun and ergonomic accessory concept improve handling and reduce strain
- Easy transport and storage (wheels, telescopic handle, lifting bar)
- High-quality alloy pump head and automatic start/stop for a high wear resistance



Picture shown may not represent model quoted

• Standard equipment

Included accessories	Ref. no.	Min. required	MC 2C-140/610 XT EU	MC 2C-120/520 T EU	MC 2C-120/520 T UK
Hose, High Pressure					
HOSE STEEL ARMED 10M	128502079	0			
High Pressure Hose, DN6					
 HOSE DN6 15 M 1W - 3/8-QC	6528613	0			
Spray Gun					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
4-in-1 Lance					
4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0			
Flexible Nozzle (IVT)					
FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			



Ideal cold water cleaning for everyday tasks

● Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-150/650 EU	MC 2C-150/650 XT EU
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0			
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0			
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			

● Standard equipment

Included accessories		Ref. no.	Min. required	MC2C-120/520 XT EU	MC 2C-120/520 XT CH	MC2C-120/520 T EU
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			•
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	•	•	
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	•	•
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			



Ideal cold water cleaning for everyday tasks

● Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0	•		
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0		•	•
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	•	•
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			

● Standard equipment

Included accessories		Ref. no.	Min. required	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A	MC2C-150/650 EXPT
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0		•	
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	•	•	•
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0		•	
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	•		
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			•



Ideal cold water cleaning for everyday tasks

Model	MC 2C-140/610 XT EU	MC 2C-120/520 T EU	MC 2C-120/520 T UK
Ref. no.	128471350	128471352	128471353

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•		
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC 2C-120/520 XT EU	MC 2C-150/650 EU	MC 2C-150/650 XT EU
Ref. no.	128471354	128471358	128471359

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•		•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC2C-120/520 XT EU	MC 2C-120/520 XT CH	MC2C-120/520 T EU
Ref. no.	128471490	128471492	128471493

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•	•	
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•



Ideal cold water cleaning for everyday tasks

Model	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
Ref. no.	128471494	128471495	128471496

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel		•	•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A	MC2C-150/650 EXPT
Ref. no.	128471497	128471498	128471499

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel		•	
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Technical specifications	MC 2C-140/610 XT EU	MC 2C-120/520 T EU	MC 2C-120/520 T UK
Pump Pressure (bar/MPa)	140/14	120/12	120/12
Cleaning impact (kg/force)	2.5	2.2	2.2
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.9	2.3	2.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/12.6	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (l/h)	610/540	520/470	520/470
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	27.3	27.3
Recommended avg. hours of use per day	1	1	1



Ideal cold water cleaning for everyday tasks

Technical specifications	MC 2C-120/520 XT EU	MC 2C-150/650 EU	MC 2C-150/650 XT EU
Pump Pressure (bar/MPa)	120/12	150/15	150/15
Cleaning impact (kg/force)	2.2	2.9	2.9
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	3.3	3.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/10	230/1/50/14.5	230/1/50/14.5
Water flow Qmax/Qiec (l/h)	520/470	650/570	650/570
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	27.3	28.1
Recommended avg. hours of use per day	1	1	1

Technical specifications	MC2C-120/520 XT EU	MC 2C-120/520 XT CH	MC2C-120/520 T EU
Pump Pressure (bar/MPa)	120/12	120/12	120/12
Cleaning impact (kg/force)	2.2	2.2	2.2
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	2.3	2.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/10	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (l/h)	520/470	520/470	520/470
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	28.1	27.3
Recommended avg. hours of use per day	1	1	1

Technical specifications	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
Pump Pressure (bar/MPa)	120/12	140/14	140/14
Cleaning impact (kg/force)	2.2	2.5	2.5
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	2.9	2.9
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/10	230/1/50/12.6	230/1/50/12.6



Ideal cold water cleaning for everyday tasks

Technical specifications	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
Water flow Qmax/Qiec (l/h)	520/470	610/540	610/540
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	27.3	28.1	28.1
Recommended avg. hours of use per day	1	1	1


Technical specifications	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A	MC2C-150/650 EXPT
Pump Pressure (bar/MPa)	150/15	150/15	150/15
Cleaning impact (kg/force)	2.9	2.9	2.9
Pump (RPM)	2800	2800	2800
Power consumption (kW)	3.3	3.3	3.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/14.5	230/1/50/14.5	230/1/50/14.5
Water flow Qmax/Qiec (l/h)	650/570	650/570	650/570
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	27.3	27.3	27.3
Recommended avg. hours of use per day	1	1	1

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MC 2C-140/610 XT EU	MC 2C-120/520 T EU	MC 2C-120/520 T UK
Spray Gun					
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●
Surface Cleaning Rotary					
	HYDROSCRUB P300 P+H	106403187	0	○	○
Hose and Connection					



Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-140/610 XT EU	MC 2C-120/520 T EU	MC 2C-120/520 T UK
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	○	○	○
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	○	○	○
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
Injector and Foam Sprayer						
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-150/650 EU	MC 2C-150/650 XT EU
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●
Surface Cleaning Rotary						



Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-120/520 XT EU	MC 2C-150/650 EU	MC 2C-150/650 XT EU
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
Hose and Connection						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	○	○	○
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	○	○	○
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
Injector and Foam Sprayer						
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○

Ideal cold water cleaning for everyday tasks

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC2C-120/520 XT EU	MC 2C-120/520 XT CH	MC2C-120/520 T EU
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●
Surface Cleaning Rotary						
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
Hose and Connection						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	●	●	○
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	●	●	●
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0			●
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
Injector and Foam Sprayer						



Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC2C-120/520 XT EU	MC 2C-120/520 XT CH	MC2C-120/520 T EU
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
Spray Gun						
	ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●
Surface Cleaning Rotary						
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
Hose and Connection						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
High Pressure Hose, DN6						
	HOSE DN6 15 M 1W - 3/8-QC	6528613	0	○	●	●
4-in-1 Lance						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	●	●	●
Flexible Nozzle (IVT)						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
Hose, High Pressure						
	HOSE STEEL ARMED 10M	128502079	0	●		
Drain and Pipe Cleaning						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○



Ideal cold water cleaning for everyday tasks

Accessories	Ref. no.	Min. required	MC 2C-120/520 T UK	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK
 DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
Injector and Foam Sprayer					
 NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A	MC2C-150/650 EXPT
Spray Gun					
 ERGO 2000 STANDARD W. HOSE SWIVEL	106403122	0	●	●	●
Surface Cleaning Rotary					
 HYDROSCRUB P300 P+H	106403187	0	○	○	○
Hose and Connection					
 NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
High Pressure Hose, DN6					
 HOSE DN6 15 M 1W - 3/8-QC	6528613	0	○	●	○
4-in-1 Lance					
4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	○	●	○
Flexible Nozzle (IVT)					
FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	●	○	○
FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	●
Hose, High Pressure					
HOSE STEEL ARMED 10M	128502079	0			
Drain and Pipe Cleaning					



Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC2C-150/650 EU - 16A	MC2C-150/650 XT EU - 16A	MC2C-150/650 EXPT
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
Injector and Foam Sprayer						
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○