




3Dfindit

powered by  **CADENAS**



R V 100...250


CONTENT

Augmented Reality (AR) - Digital meets real	2
3D preview of R V 100...250	3
Integrate Rossi catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for Rossi catalog	8



3Dfindit


powered by  CADENAS



R V 100...250

AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click [here](#) or directly try yourself by scanning the QR code with your phone.



Supported by



Supported by




Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.




3Dfindit

powered by  CADENAS



R V 100...250

3D view



HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**

Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.

Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.


Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.




3Dfindit

powered by  CADENAS




R V 100...250

2D derivation



ISO view




Bill-Of-Materials

N°	Description	Amount
1	A_R_V_125_UO2A_25_B8_AB1____	1
1.1	Dummy R V 125 UO2A 25	1
1.2	Riduttore_V_125_1	1
1.3	Anello_di_tenuta_125	1
1.4	ALC04_125	1
1.5	Albero_lento_125_3_60	1
1.6	EA_125_1_1-A04	1
1.7	Copriventola_125	1





3Dfindit

powered by  CADENAS




R V 100...250


Technical drawings




B3




B6




B7




B8



V5




V6





3Dfindit

powered by  CADENAS



R V 100...250


Technical data

GRANDEZZA (Gear reducer size / mm)	125
ESECUZIONE (Gear reducer design)	UO2A
I (Transmission ratio)	25
FC (Mounting position)	B8
AL (Standard / solid low speed shaft)	Double extension low speed shaft
ALCM (Design for hollow low speed shaft)	No
FB5 (B5 flange)	No
RALC (Hollow low speed shaft washer / protection)	No
SFP (Shaft-mounting arrangements)	No
AA (/ mm)	125
A (/ mm)	225
B (/ mm)	155
D (Ø H7 / mm)	60
C0 (/ mm)	155
D0 (Ø / mm)	32
E0 (/ mm)	80
C1 (/ mm)	155
D1 (Ø / mm)	32
E1 (/ mm)	58
F ()	M12x24
G (/ mm)	150
G0 (/ mm)	221
G1 (/ mm)	148
G2 (/ mm)	15
H (h11 / mm)	225
H0 (h11 / mm)	150
H1 (h12 / mm)	99.5
H2 (h11 / mm)	100
H3 (h11 / mm)	275
K (Ø / mm)	18
L (/ mm)	28
M (Ø / mm)	215
N (Ø h6 / mm)	180
P (Ø / mm)	250
Q (/ mm)	4.0
T (/ mm)	287




3Dfindit

powered by  CADENAS



U (/ mm)	194
V0 (Ø / mm)	50
W1 (/ mm)	375
Y1 (/ mm)	456
Z (/ mm)	106
MASS (Mass / kg)	74
OLIO (Oil quantity)	8.20



R V 100...250

E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!

**Become an Expert of
Digital Engineering**



3Dfindit

**Boost your career
and get ready
for Industry 4.0!**

[Learn more](#)

[Start course](#)