



V 40 LW Z




Product comparison


U 40 BR5 Z, V 40 LW Z, V 40 Z



U 40 Z






V 40 LW Z



V 40 Z

Interference contour



U 40 BR5 Z, V 40 LW Z, V 40 Z



Weight comparison

U 40 BR5 Z, V 40 LW Z, V 40 Z

Standard clamps with manual function in comparison Size 40			
	V 40 Z	U 40 BR5 Z	V 40 LW Z
clamping torque	120 Nm	120 Nm	120 Nm
holding torque	380 Nm	380 Nm	380 Nm
weight	2,65 kg	2,4kg	1,84 kg
length	275 mm	266 mm	262 mm
width	54 mm	54 mm	54 mm
depth	83 mm	83 mm	83 mm




U 40 BR5 Z
2,4 kg

V 40 LW Z
1,84 kg

V 40 Z
2,65 kg


Data sheet

V 40 LW Z



Data sheet

V 40 Z



THANK YOU!

For YOUR Time

Your success start beyond this point.



TÜNKERS® Maschinenbau GmbH
Am Rosenkothen 4-12
D-40880 Ratingen



E-mail: rene.degner@tuenkers.de



Phone: +49 (0) 21 02/45 17-467
Fax: +49 (0) 21 02/45 17-9999

