

CROWFOOT WRENCHES

EGA Master crowfoot wrenches are made of chrome vanadium steel. They are designed to be used in hard-to-reach places where normal wrenches cannot reach, for example, in hydraulic pipe connections.



both in mm and in
inches



1. Their design facilitates access to fasteners in tight or hard-to-reach spaces by using ratchet wrenches and extensions.

2. Open end, hexagonal and flare nut.

3. Polished finish provides corrosion resistance.




TECHNICAL SPECIFICATIONS

MATERIAL	Chrome Vanadium
MINIMUM HARDNESS	39 HRC
FINISHING	Polished

OPEN END CROWFOOT WRENCH MM.


1/4"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	g		
57211	7	30	6	25	6	70	10	●
57212	8	31		26	7			
57213	9	33		28	8			
57214	10	35		30	9			
57215	11	36	7	31	11	90	10	●
57216	12	38		34	12			
57217	13	39		35	13			

OPEN END CROWFOOT WRENCH INCH.

1/4"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g		
57218	5/16	31	6	26	7	70	10	●
57219	3/8	33		28	8			
57220	7/16	35		30	9			
57221	1/2	38	7	34	12	92	10	●
57222	9/16	39		36	14			


SETS - OPEN END CROWFOOT 1/4"

COD.	PCS.		COD. PCS.	(mm)	(inch)	Kg
59514	5	58666	57218, 57219, 57221, 57220, 57222	-	5/16-3/8-1/2-7/16-9/16	0,6
59513	7		57211, 57212, 57213, 57214, 57215, 57216, 57217	7-8-9-10-11-12-13	-	0,7



OPEN END CROWFOOT WRENCH MM.


3/8"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	g		
55710	10	36	6	24	10	28		
55711	11	39	6,5	26	13			
55712	12			27		35		
55713	13	40	7,2	28	14	40		
55714	14	42	8,3	30	15	41		
55715	15				16			
55716	16	46	8,4	34	17	50		
55717	17	48	8,8	36	18	56	10	•
55718	19	50	9	40	21	62		
55719	21	55	9,5	46	22,5	80		
55720	22				23,5	100		
55721	24				25,5	140		
55722	25	65	10	54	26,5			
55723	27				28,5	200		

OPEN END CROWFOOT WRENCH INCH.

3/8"



COD.	AF Inch	L (mm)	A (mm)	B (mm)	C (mm)	g		
55724	3/8	36	6	24	10	28		
55725	7/16	39	6,5	26				
55726	1/2	40	7,2	28	14	40		
55727	9/16	42	8,3	30		41		
55728	5/8	46	8,4	34	17	50		
55729	11/16	48	8,8	36	18	56		
55730	3/4	50	9	40	21	62	10	•
55731	13/16	55	9,5	46	21,5	80		
55732	7/8				22,5	100		
55733	15/16				25,5	140		
55734	1	65	10	54	26,5			
55735	1.1/16				28,5	200		



SETS - OPEN END CROWFOOT WRENCH 3/8"

COD.	PCS.		COD. PCS.	(mm)	(inch)	
59515	10	58666	55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55720	10-11-12-13-14-15- 16-17-19-22	-	0,5
59517	11	58667	55724, 55725, 55726, 55727, 55728, 55729, 55730, 55731, 55732, 55733, 55734	-	3/8-7/16-1/2-9/16- 5/8-11/16-3/4- 13/16-7/8-15/16-1	0,6
59516	14		55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 55722, 55723	10-11-12-13-14-15- 16-17-19-21-22-24- 25-27	-	



OPEN END CROWFOOT WRENCH MM.


1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
57224	20	65	10	43	20	170		
57225	21				21			
57226	22				22			
57227	23				23			
57228	24				24			
57229	25	75	14	50	25	230		
57230	26				26			
57231	27				27			
57232	28				28			
57233	29				29			
57234	30			60	30	290		
57235	31				31			
57236	32				32			
57237	33				33			
57238	34				34			
57239	35	85	14	70	35	360		
57240	36				36			
57241	37				37			
57242	38				38			
57243	39				39			
57244	40			80	40	400		
57245	41				41			
57246	42				42			
57247	43				43			
57248	44				44			
57249	45	90	90	45	460			
57250	46			46				

OPEN END CROWFOOT WRENCH INCH.

1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)			
57251	15/16	65	10	43	23	160		
57252	1				25			
57253	1.1/16			50	27	170		
57254	1.1/8	75			28			
57255	1.3/16				30	180		
57256	1.1/4			60	32	190		
57257	1.5/16				33			
57258	1.3/8				35	210		
57259	1.7/16			70	37	230		
57260	1.1/2				38			
57261	1.9/16	85			41	270		
57262	1.5/8					300		
57263	1.11/16		14	80	43		10	•
57264	1.3/4				44	350		
57265	1.13/16	90		90	46			
57266	1.7/8				48	370		
57267	1.15/16							
57268	2	100		100	50	400		
57269	2.1/16					420		
57270	2.1/8					450		
57271	2.3/16				55	470		
57272	2.1/4					500		
57273	2.5/16	110		110				
57274	2.3/8							
57275	2.7/16				60	550		
57276	2.1/2							



SETS - OPEN END CROWFOOT WRENCH 1/2"

COD.	PCS.		COD. PCS.	(mm)	(inch)	
59518			57226, 57228, 57231, 57232, 57233, 57234, 57236, 57238, 57240, 57242, 57244, 57245, 57246, 57250	22-24-27-28-29-30-32-34-36-38-40-41-42-45	-	5,8
59519	14	58669	57253, 57254, 57255, 57256, 57257, 57258, 57259, 57260, 57262, 57263, 57264, 57265, 57266, 57268	-	1.1/16-1.1/8-1.3/16-1.1/4-1.5/16-1.3/8-1.7/16-1.1/2-1.5/8-1.11/16-1.3/4-1.13/16-1.7/8-2	6,3



HEXAGONAL CROWFOOT WRENCH MM.



3/8"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	g		
55736	10				16	28		
55737	11		7,8					
55738	12	38		31	18	35		
55739	13		8			40		
55740	14					41		
55741	15	41	9	33	21	50		
55742	16							
55743	17	45	10,5	36	24	56	10	•
55744	19	46			25	62		
55745	21					80		
55746	22	50	11	40	28,5	100		
55747	24							
55748	25	55	11,5	45	34	140		
55749	27					200		

HEXAGONAL CROWFOOT WRENCH INCH.


3/8"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	g		
55750	3/8				16	28		
55751	7/16	38	7,8	31				
55752	1/2		8		18	40		
55753	9/16	41	9	33	21	41		
55754	5/8					50		
55755	11/16	46	10,5	36	24	56		
55756	3/4				25	62	10	•
55757	13/16	50	11	40	28,5	80		
55758	7/8					100		
55759	15/16							
55760	1	55	11,5	45	34	140		
55761	1.1/16					200		

FLARE NUT CROWFOOT WRENCH MM.


1/4"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59337	7	33	8,0	22	5,5	18	48	10	●
59338	8			24	6,0		50		
59339	9	34		26	6,5				
59340	10	35		29	7,0		55		
59341	11	36		33	8,5				
59342	12	37			9,0				
59343	13				10				
59344	14				11		65		

FLARE NUT CROWFOOT WRENCH INCH.


1/4"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59345	5/16	33	8	22	6,0	18	48	10	●
59346	3/8			24	7,0		50		
59347	7/16	35		29	8,5		55		
59348	1/2				9,5				
59349	9/16				11				

FLARE NUT CROWFOOT WRENCH MM.


3/8"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59350	10			22	7,0				
59351	11	45		26	8,5	25	50		
59352	12	48		30	9,0		55		
59353	13		8	32	10		60		
59354	14	50		33	11				
59355	15				12		90		
59356	16			36	13	30			
59357	17	55			14				
59358	18			42	15				
59359	19						130	10	•
59360	20			45	16				
59361	21								
59362	22	60	11		17				
59363	23			46	18	35	135		
59364	24								
59365	25	65		49	19		145		
59366	26						155		
59367	27			50	20				

FLARE NUT CROWFOOT WRENCH INCH.


3/8"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59368	3/8			22	8,5		42		
59369	7/16	45		26		25	70		
59370	1/2		8	30	9,5		85		
59371	9/16	48		34	11		90		
59372	5/8	49		36					
59373	11/16	55			13		130		
59374	3/4			42	14				
59375	13/16	60		45	16				
59376	7/8			46	17	35	135	10	•
59377	15/16						145		
59378	1			49	19		155		
59379	1.1/16	65	11	50	21				
59380	1.1/8			55	22		165		
59381	1.3/16								
59382	1.1/4	70		60	24		175		
59383	1.5/16				25		200		
59384	1.3/8			65			210		
59385	1.7/16	80		70	27	40	220		
59386	1.1/2	90		80	29	45	230		

FLARE NUT CROWFOOT WRENCH MM.


1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)						
59387	17	60	14	35	11	35	160	10	●			
59388	18			40	15							
59389	19			42	16							
59390	20	65			17	40	180					
59391	21				18							
59392	22	70		43	19							
59393	23			48		20	45			190		
59394	24					21						
59395	25	22										
59396	26	75		60	23	50	200					
59397	27				24							
59398	28				25							
59399	29	80		70	26	55	210					
59400	30				27							
59401	31				28							
59402	32	85		75	29	60	220					
59403	33				30							
59404	34				31							
59405	35	90		80	32	65	230					
59406	36				33							
59407	37				34							
59408	38	95		85	35	70	240					
59409	39				36							
59410	40				37							
59411	41	100		90	38	75	250					
59412	42				39							
59413	43				40							
59414	44	105		95	41	80	260					
59415	45				42							
59416	46				43							
59417	50	110		100	44	85	270					

FLARE NUT CROWFOOT WRENCH INCH.


1/2"



COD.		L (mm)	A (mm)	B (mm)	C (mm)	D (mm)			
59418	1/2	60	14	33	9,5	35	160	10	●
59419	15/16	70		48	18				
59420	1	75			19		170		
59421	1.1/16				21	40			
59422	1.1/8			60			270		
59423	1.3/16				22				
59424	1.1/4	80		65	24		300		
59425	1.5/16				25	45			
59426	1.3/8			70	26		310		
59427	1.7/16				27				
59428	1.1/2			28					
59429	1.9/16			30					
59430	1.5/8	95			32	50	320		
59431	1.11/16			75	33				
59432	1.3/4			35					
59433	1.13/16								
59434	1.7/8	115	85	38		330			
59435	1.15/16			100	39		370		
59436	2			105	40	60			
59437	2.1/16			41					
59438	2.1/8	120		43		380			
59439	2.3/16		115						
59440	2.1/4		120	45	65	400			
59441	2.5/16				70	410			
59442	2.3/8	130							
59443	2.7/16	135	125	47					
59444	2.1/2								

FLARE NUT CROWFOOT WRENCH MM.


3/4"



COD.	AF mm	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59445	21	95	23	60	17	40	230	10	●
59446	24				19				
59447	36	115		70	27	45	240		
59448	46			95	31		330		
59449	50	125		100	34	55	350		
59450	55	135		105	39	60	360		
59451	60	140		115	43	65			
59452	65	150		120	46		380		
59453	70			130	50	70			
59454	75	155		135	55		390		
59455	80	160		140	60	75	400		
59456	90	175		155	65	80			
59457	95	185		160	70	85	430		

FLARE NUT CROWFOOT WRENCH INCH.

3/4"



COD.	AF inch	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	g		
59458	13/16		23	55	16		230	10	●
59459	7/8	80							
59460	15/16			60	18	40	240		
59461	1.1/16	85			21				
59462	1.7/16	95		70	27	45	250		