CC1P3-GY



Decora® 30W High Speed USB Outlet with Power Delivery, Dual Type C Charging Ports, 15A Receptacle - Gray

15 Amp, 125 Volt Decora® Tamper Resistant Outlet, 30W (6.0 Amp) Power Delivery USB Charger with 30W Dual Type C Ports, Back and Side Wire NEMA 5-15R Receptacle, Gray

- POWER UP FASTER - USB-C Power Delivery provides up to 30W of power on a single port, charging compatible phones and tablets (laptop overnight charging) up to 2x faster with intelligent power sharing
- COMPATIBLE WITH TYPE-C DEVICES - Charges iPhone, iPad, Samsung Galaxy, Android devices, tablets, smartwatches, e-readers, cameras, gaming gear, and more in just a few hours
- UPGRADE YOUR SPACE – Replaces a standard outlet in existing boxes to modernize kitchens or other rooms; pairs perfectly with Decora wallplates (sold separately) for a seamless finish
- BUILT-IN PROTECTION – Safeguards against overcharging and overheating; tamper-resistant shutters enhance child safety, and noise-free charge-only USB ports help keep your data secure
- 4-IN-1 SOLUTION – Charge multiple devices at once and free up your outlets for other power needs; reduces clutter and eliminates bulky USB adapters for a clean, organized setup
- TRUSTED QUALITY – Built by a brand with 120+ years of electrical expertise; made in North America for reliable, long-lasting performance

Color : Gray

UPC Code : 078477043226

Country Of Origin : Mexico

NEMA : 5-15R

Available Colors :

Black

White

Ivory

Light Almond

White

Technical Information

Electrical Specifications

Amperage : 15 A

Dielectric Voltage : 1250 VAC

Grounding : Grounding

Horsepower Rating : ½ hp

Pole(s) : 2

Power Supply Input and Frequency : 125V, 60Hz

Temperature Rise : Max 30°C

Voltage : 125 VAC

Wire(s) : 3

Environmental Specifications

Flammability Rating : V-0

Operating Temperature : Maximum Continuous 40°C, Minimum -10°C (w/o impact)

Material Specifications

Body Material : Thermoplastic

Face Material : Thermoplastic

Line Contacts : Brass

Mechanical Specifications

Product ID : Ratings are marked on device

Screw Terminal Torque : 14-18 lbs.

Mounting Strap : Galvanized Steel

TR Shutter : Thermoplastic

Termination : Back and Side Wire

Wire Accomodation : #14-#12 AWG Copper Solid or Stranded, #12-#10 AWG Copper Clad

Product Features

Brand : Decora

Color : Gray

Feature(s) : Tamper Resistant

Grade : Residential /Commercial Specification Grade

NEMA Configuration : 5-15R

Product Type : USB Receptacle Outlet

USB Power Delivery : Yes

USB Type : Dual Type C

USB Wattage : 30 W

Standards and Certifications


Applicable Standards & Certifications : FCC Part 15 Class B, cCSAus Listed, NOM, UL 1310, UL 498, UL 1310

NEMA : WD-1 and WD-6

Warranty

Warranty : 1-Year Limited

Dimensional Drawing



SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-461-2002 · FAX: +1-800-824-3005 ·

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52) 5386- 1797 ·

Visit our Website at: www.leviton.com

© 2026 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/company/about-leviton/locations

© 2026 Leviton Manufacturing Co., Inc.